Request for Proposals

Borough of Naugatuck

Sealed Proposals will be received by the Purchasing Agent, Town Hall, 229 Church Street, Naugatuck, CT for supplying the Borough of Naugatuck with the following services:

Contract No. 18-35 Purchase of Public Work Vehicles, Naugatuck, CT 2019 F350 4X4 Regular Cab with Plow and Sander 2019 F350 4X4 Super Cab with Plow and Sander 2019 F650 Tool Truck

The Information for Request for proposal and related documents may be examined at the Office of the Purchasing Agent, Town Hall, 229 Church Street, Naugatuck, CT 06770.

Copies of the specifications may be obtained at the Office of the Purchasing Agent upon submission of a non-refundable plan deposit in the form of a check or money order payable to the Borough of Naugatuck in the amount of \$50.00 per set. Specifications can also be obtained at no cost from the Borough of Naugatuck web site http://www.naugatuck-ct.gov

All firms obtaining plans and specifications must submit contact information by e-mail to whozer@naugatuck-ct.gov Contact information must be submitted three days in advance of the bid opening to be considered.

Addenda if required shall be posted on the http://www.naugatuck-ct.gov web site. It is the bidder's responsibility to check the Town web site in advance of the bid opening to determine if any addenda have been issued.

Sealed proposals will be received by the Purchasing Office, Borough of Naugatuck, 229 Church Street, Naugatuck, CT 06770 until **Monday, October 1, 2018 at 11:00 A.M local time**. Immediately following, the bids will be publicly opened and read.

The Borough of Naugatuck reserves the right to waive any informalities or to reject any or all proposals.

The Borough of Naugatuck is an affirmative action/equal opportunity employer, MBE's, WBE's and SBE's are encouraged to apply.

Borough of Naugatuck **Request for Proposals**

Contract No. 18-35 Purchase of Public Work Vehicles, Naugatuck, CT

TABLE OF CONTENTS

DESCRIPTION

Section 1: General Information and Requirements.

Section 2: Items Required With Bid Response Packet.

Attachments

- A. Certificate of Non-Collusion Form.
- B. Specification Vehicle #1 2019 F-350, SD Regular Cab 4x4 SD Regular Cab 8' Box 142" WB SRW XL (F3B) Or equal
- C. Specification Vehicle #2 2019 F-350, SD super Cab 4x4 SD super Cab 8' Box 164" WB SRW XL (X3B) Or equal
- D. Specification Vehicle #2 2019 F-650 gas, Regular Cab, Regular Cab Base (F6A) Work/Tool Truck Or equal

Borough of Naugatuck REQUEST FOR PROPOSALS

Contract No. 18-35 Purchase of Public Work Vehicles, Naugatuck, CT

Section 1: General Information and Requirements

1.1 General Information and Intent

The Borough of Naugatuck is seeking proposals from qualified Connecticut vehicle dealers to supply the Borough of Naugatuck with the following vehicles and equipment, as described in attachments B, C and D:

2019 F350 4X4 Regular Cab with Plow and Sander 2019 F350 4X4 Super Cab with Plow and Sander 2019 F650 Tool Truck

1.2 Questions

All questions and inquiries shall be directed to:

James R. Stewart Director of Public Works 246 Rubber Ave Naugatuck, CT 06468 jstewart@naugatuck-ct.gov 203-720-7072

1.3 Qualified Bidders

In order for a Bidder's proposal to be accepted they must provide evidence that they are a licensed new Car/Truck Dealer with at least 3 years' experience in fleet Car and Truck sales.

1.4 Project description.

It is expected that all proposals shall include the following minimum work:

- 1. Delivery of New 2019 vehicles and equipment installed and as specified.
- 2. New vehicle warrantees.
- 3. New equipment warrantees
- 4. Documentation
- 5. Equipment Training as required by the Borough

1.5 Negotiation

The Borough of Naugatuck reserves the right to negotiate with the contractors submitting proposals

1.6 Equal Opportunity Clause

The Borough of Naugatuck is an affirmative action/equal opportunity employer.

- (1) The vendor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, or national origin. The vendor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their race, color, religion, sex, or national origin. Such action shall include, but not be limited to the following: Employment, upgrading, demotion, or transfer, recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The vendor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the contracting officer setting forth the provisions of this nondiscrimination clause.
- (2) The vendor will, in all solicitations or advertisements for employees placed by or on behalf of the vendor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, or national origin.
- 3) The vendor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided by the agency contracting officer, advising the labor union or workers' representative of the vendor's commitments under section 202 of Executive Order 11246 of September 24, 1965, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- (4) The vendor will comply with all provisions of Executive Order 11246 of September 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- (5) The vendor will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by the rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the contracting agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- (6) In the event of the vendor's non-compliance with the nondiscrimination clauses of this contract or with any of such rules, regulations, or orders, this contract may be canceled, terminated or suspended in whole or in part and the vendor may be declared ineligible for further Government contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.

(7) the vendor will include the provisions of paragraphs (1) through (7) in every sub contract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be binding upon each subvendor or bidder. The vendor will take such action with respect to any sub contract or purchase order as may be directed by the Secretary of Labor as a means of enforcing such provisions including sanctions for noncompliance: Provided, however, that in the event the vendor becomes involved in, or is threatened with, litigation with a subvendor or bidder as a result of such direction, the vendor may request the United States to enter into such litigation to protect the interests of the United States.

1.7 Submission of Proposals

Proposals will be accepted until 11:00 AM on October 1, 2018. All proposals must be clearly marked on one (1) large envelope entitled: **Contract No. 18-35**

Proposals shall be mailed or delivered to:

James R. Stewart Director of Public Works 246 Rubber Ave Naugatuck, CT 06468 203-720-7072

Late submissions will not be accepted

1.8 Evaluations and Selection Criteria

Bidders will be selected with the following criteria (not listed in order of importance):

- a) Past company experience within the region
- b) Cost for complete vehicle and equipment, as determined by the Borough.
- c) Warrantee provided.
- d) Delivery schedule of proposed vehicles.
- e) Other criteria as determined by the Borough, weighting criteria will be determined by the Borough.
- f) The Borough reserves the right to negotiate with the successful bidder on the terms of their proposed Contract before signing, if it is in the best interest of the Borough.
- g) If the Borough cannot negotiate a contract with the selected Contractor the Borough may choose to negotiate with the next ranked vendor.

1.9 Borough of Naugatuck's Reservation of Rights

The Borough of Naugatuck reserves the right to waive any informality or to reject any or all proposals or to accept any proposals, should it deem it to be in the best interest of the

Borough. The Borough reserves the right to reject any proposals if they show any omission, alteration of form, additions not called for, conditional bids, or irregularities of any kind.

1.10 Reimbursement for Costs

It is the responsibility of the Bidder's respondents to pay for all costs associated with submitting proposals. The Borough of Naugatuck shall not reimburse any costs.

1.11 Insurance Requirements

Before execution of the Contract, and before each Contract year, the Bidder will be required to file with the Borough of Naugatuck a certificate of insurance. The certificate shall be executed by an insurance company in good standing with the State of Connecticut and shall name the Borough of Naugatuck and the State as additional insured parties on the form furnished with these specifications. The "Certificate of Insurance" shall state that at a minimum, with respect to the Contract, the Bidder carries insurance in accordance with the requirements and stipulations listed below.

Unless requested otherwise by the Borough of Naugatuck, the Bidder and its insurer shall not assert the defense of governmental immunity in the adjustment of claims or in the defense of any claim or suit brought against the Borough and the State. The Bidder shall assume and pay all costs and billing for premiums and audit charges earned and payable under the required insurance. Any deductibles are the sole responsibility of the Contractor, including claim handling and legal expenses.

- **A.** Workmen's Compensation Insurance: With respect to all operations the Bidder performs and all those performed for it by subbidders, the Bidder shall carry worker's compensation insurance in accordance with the requirements and the laws of the State of CT.
- **B.** Contractor's Public Liability and Property Damage Insurance: With respect to the Project operations the Bidder performs and also those performed for it by subbidders, the Bidder shall carry regular Contractor's Public Liability Insurance. The insurance shall provide coverage for each accident or occurrence in the amount of \$2,000,000 for all damages resulting from (1) bodily injury to, or death of, persons and/or (2) injury to or destruction of property. Subject to that limit per accident or occurrence, the policy shall provide a total or aggregate coverage of \$5,000,000 for all damages during the policy period.
- **C.** Automobile Liability Insurance: The operation of all motor vehicles, including those hired or borrowed shall be covered by Automobile Liability Insurance. The insurance shall provide coverage for each accident or occurrence in the amount of \$2,000,000 for all damages resulting from (1) bodily injury to, or death of, persons and/or (2) injury to or destruction of property. If an insurance policy shows an aggregate limit as part of the automobile liability coverage, the aggregate limit must be at least \$2,000.000.
- **D.** With respect to the operations the Bidder performs and also those performed for it by subbidders, the Bidder shall carry for and on behalf of the Borough of Naugatuck and State, insurance which shall provide coverage for each accident or occurrence in the amount of \$2,000,000 for all damages resulting from (1) bodily injury to or death of

person and/or (2) injury to or destruction of property. Subject to that limit per accident or occurrence, the policy shall provide a total or aggregate coverage of \$5,000,000 for all damages during the policy period.

- **E.** Termination or change of Insurance: Each insurance policy shall be endorsed to provide that the insurance company shall notify the Borough of Naugatuck by certified mail at least thirty (30) days in advance of termination, or any change in the policy.
- **F.** Claims: Each insurance policy shall state that the insurance company shall agree to investigate and defend the Borough of Naugatuck and State against all damages, even if groundless.
- **G.** Compensation: There shall be no direct compensation allowed the Bidder on account of any premium or other change necessary to take out and keep in effect all insurance or bonds, but the cost thereof shall be considered included in the general cost of the work.

1.12 Signature Requirements

Proposals must be signed by a duly authorized official of the Company. Consortiums, joint ventures, or teams submitting proposals will not be considered, unless it is established that all contractual responsibility rests solely with one Contractor or one legal entity, which shall not be a subsidiary or affiliate with limited resources. Each proposal should indicate the entity responsible for execution on behalf of the proposal team.

1.13 Safety

All practices, materials and equipment shall comply with the Federal Occupational Safety and Health Act, as well as any pertinent State and/or local safety and environmental codes.

1.14 Observance of Laws

The Contractor shall, at all times, observe and comply with all Federal, State and Borough laws, ordinances and regulations in any manner affecting the conduct of the work.

1.15 Attachments

The following attachments shall be made part of this RFP:

- A. Certificate of Non-Collusion Form
- B. Specification for 2019 F350 4X4 Regular Cab with Plow and Sander
- C. Specification for 2019 F350 4X4 Super Cab with Plow and Sander
- D. Specification for 2019 F650 Tool Truck

1.16 Transferability of CONTRACT

No assignment of the contract or any right accruing under this contract shall be made in whole or in part by the Contractor without the express written consent of the Borough, which consent will not be unreasonably withheld. In the event of any assignment, the assignee shall assume all of the liability of the Contractor.

1.17 CONTRACT Documents

The Request for Proposal and its attachments, Insurance Certificates, the executed contract and any addenda to the foregoing shall constitute the Contract Documents.

1.18 Indemnity

The Contractor shall indemnify, hold harmless, and exempt the Borough, its agents, servants and employees from and against all legal proceedings, claims and associated costs and Attorney's fees incident to any work done in the performance of this CONTRACT arising out of a willful or negligent act or omission of the Contractor, its agents, servants or employees.

1.19 Liquidated Damages

The dealer shall provide the Borough of Naugatuck a schedule of delivery for each of the completed bid vehicles (calendar day from receipt P.O.) Liquidated damages shall be assessed at a rate of \$15 per day beyond the scheduled date of delivery. Liquidated damages will be deducted from the purchase price.

1.20 Default

If the Contractor fails to perform this contract in accordance with its terms, the Borough shall have the right, in addition to all other remedies it may have, to declare the Contractor in default, and to resubmit the contract for further bid. In that event, the Contractor shall pay to the Borough, as liquidated damages, the amount of any excess of the new contract price over the Contract price herein provided for, both prorated to the period of time covered by the unexpired term of the Contract at the time of default.

Section 2: Items Required With Bid Response Packet

The following items are required to be included with your bid response packet:

2.1 Letter of Interest

The Contractor shall submit a signed letter of interest on company letter head detailing the proposed project and the company's experience and any assumptions, conditions or important information needed in order to properly review the proposal.

2.2 Price Proposal

The proposal shall include the following minimum items:

- 1. Detailed Price proposal including detailed spec sheet of the vehicles proposed.
- 2. Breakdown of costs for vehicles, options and equipment
- 3. Completed specification schedule showing Specifications meet and exceptions/variations
- 4. List of additional equipment and supplies that are included.
- 5. Cut Sheets of proposed equipment.
- 6. Proposed Warrantees
- 7. List of any subContractors, Truck builders that are to be utilized for the project.

2.3 Schedule of Delivery

The Dealer shall submit a schedule of delivery in days from the receipt of the purchase order.

2.4 Insurance Certificate

The Contractor shall submit an insurance certificate showing the Contractor's current applicable insurance coverage.

2.5 References

The CONTRACTOR shall provide a minimum of three (3) references, preferably municipalities in Connecticut or New England), where they have supplied vehicles and or equipment.

Attachments

Attachement A

Contract No. 18-35

Purchase of Public Work Vehicles, Naugatuck, CT

CERTIFICATE OF NON-COLLUSION

| The undersigned certifies under penalties of perjur | ry that this bid or proposal has been |
|---|--|
| made and submitted in good faith and without coll | llusion or fraud with any other person. |
| As used in this certification, the word "person" sh | nall mean any natural person, business, |
| partnership, corporation, union, committee, club, o | or other organization, entity, or group of |
| individuals. | |
| | |
| | |
| Signature | Date |
| | |
| Printed Name of Person Signing Proposal | |
| | |
| Name of Business | |
| Traine of Dushiess | |

| Attachment B | | | |
|-----------------------|--|----------|-------------|
| Vehicle #1 | 2019 F-350, SD Regular Cab 4x4 SD Regular Cab 8' Box 142" WB | | |
| Venicle #1 | SRW XL (F3B) Or equal | | |
| | SKW AL (FSB) Of Equal | | |
| Vehicle Description | The Borough of Naugatuck requests that sealed bids be | | |
| venicie bescription | | | |
| | submitted for the purchase of One (1) NEW 2019 F-350, SD | | |
| | Regular Cab 4x4 SD Regular Cab 8' Box 142" WB SRW | | |
| | XL(F3B) Or equal with minimum specifications listed below. | | |
| | Any additions, deletions, or variations from the following | | |
| | minimum specifications must be noted in the bidder's | | |
| | proposal. | | |
| | | | |
| Minimum Vehicle Speci | fications | | |
| | | | Exceptions |
| | | Included | /Variations |
| Dimensions | | | |
| | Min ground clearance: 8.2" | | |
| | | | |
| Suspension/Handling | | | |
| | Front Mono-beam non-independent suspension with anti-roll bar, | | |
| | HD shocks | | |
| | Firm ride Suspension | | |
| | Rear rigid axle leaf spring suspension with HD shocks | | |
| | Hydraulic power-assist re- circulating ball steering | | |
| Body Exterior | | | |
| | 2 doors | | |
| | Class V trailer hitch with trailer sway control | | |
| | Trailer harness | | |
| | Clearcoat paint | | |
| | 2 front tow hooks | | |
| Convenience | | | |
| | Manual a/c with air filter | | |
| | Manual telescopic steering wheel | | |
| | Passenger visor mirror | | |
| | Manual tilt steering wheel | | |
| | Day-night rearview mirror | | |
| | Front cupholders | | |
| Seats and Trim | | | |
| | Seating capacity of 3 | | |
| | 4-way driver seat adjustment | | |
| | 4-way passenger seat adjustment | | |
| | Front 40-20-40 split-bench seat | | |
| | Manual driver lumbar support | | |
| | Centre front armrest with storage | | |
| | HD vinyl 4/20/40 split bench seat | | |

| | | | Exceptions |
|-------------------------|---|----------|-------------|
| ighting, Visibility and | Instrumentation | Included | /Variations |
| | Halogen aero-composite headlights | | |
| | Fully automatic headlights | | |
| | Outside tempature display | | |
| | Low tire pressure warning | | |
| | Variable intermittent front windsheild wipers | | |
| | Oil pressure gauge | | |
| Safety and Security | | | |
| | 4-wheel ABS brakes | | |
| | 4-wheel disc brakes | | |
| | ABS and driveline traction control | | |
| | Dual seat mounted side imapct airbag supplemental restraint | | |
| | system | | |
| | Brake assist with hill hold control | | |
| | Electronic stability control | | |
| | Dual front impact airbag supplemental restraint system with | | |
| | passenger cancel | | |
| | Safety canopy system curtain 1st row overhead airbag | | |
| | supplemental restraint system | | |
| | Manually adjustable front head restraints | | |
| Dimensions | | | |
| | General weights | | |
| | Curb 6287 lbs. | | |
| | Payload 3950 lbs. | | |
| | Front weights | | |
| | Front GAWR 4400 lbs. | | |
| | Front axle capacity 6000 lbs. | | |
| | Front tire/wheel capacity 6390 lbs. | | |
| | Rear Weights | | |
| | Rear GAWR 6340 lbs. | | |
| | Rear axle capacity 7280 lbs. | | |
| | Rear tire/wheel capacity 6390 lbs. | | |
| | Fuel Tank Type | | |
| | Capacity 34 gal. | | |
| | Off Road | | |
| | Load floor height 38" | | |
| | Exterior Cargo | | |
| | Length: 98.1" | | |
| | GVWR 11300 lbs | | |
| | Min ground clearance: 8" | | |
| | Minimum width: 50.5" | | |
| | Volume: 78.5 cu.ft. | | |
| | Pickup box depth: 21.1" | | |
| | Tailgate width: 60.5" | | |
| | | | |

| Powertrain | | Included | Exceptions /Variations |
|------------|-------------------------------------|----------|------------------------|
| Owertram | Engine Type | included | / Variations |
| | Block material: iron | | |
| | | | |
| | Head material: Aluminum | | |
| | Injection sequential MPI | | |
| | Orientation: Longitudinal | | |
| | Valves per cylinder: 2 | | |
| | Variable valve control: Yes | | |
| | Engine Spec | | |
| | Bore: 4.02" | | |
| | Displacement: 379 cu.in. | | |
| | Engine Power | | |
| | SAEJ1349 AUG2004 compliant Yes | | |
| | Torque 430 ftlb @3,800 RPM | | |
| | Battery | | |
| | Amp hours: 72 | | |
| | Transmission | | |
| | Elctronic control: Yes | | |
| | Overdrive: Yes | | |
| | Type: Automatic | | |
| | Transmission Extras | | |
| | Driver selectable mode: Yes | | |
| | Oil cooler: Regular duty | | |
| | Drive Type | | |
| | 4wd type part-time | | |
| | Drive Feature | | |
| | Traction control: ABS and driveline | | |
| | Transfer case shift: Electric | | |
| | Drive Axle | | |
| | Cylinders: V-8 | | |
| | Liters: 6.2L | | |
| | Recommended fuel: regular unleaded | | |
| | Output 385 HP @ 5,750 RPM | | |
| | | | |
| | Lock-up: Yes | | |
| | Locking hub control: Auto | | |
| | Exhaust | | |
| | Material: Satinless steel | | |

| | | | Exceptions |
|-----------------|---|----------|-------------|
| Driveability | | Included | /Variations |
| | Brakes | | |
| | ABS: 4-wheel | | |
| | Type: 4-wheel disc | | |
| | Brake Assistance | | |
| | Brake assist: Yes | | |
| | Front Suspension | | |
| | Idependence: Mono-beam non-independent | | |
| | Front spring | | |
| | Type: Coil | | |
| | Front Shocks | | |
| | Type: HD | | |
| | Rear Spring | | |
| | Type: Leaf | | |
| | Rear Shocks | | |
| | Type: HD | | |
| | Floor Trim | | |
| | Coverage: Full Covering: Vinyl/rubber | | |
| | Trim Feature | | |
| | Gear shift knob: Urethane | | |
| | Interior Accents: Chrome | | |
| Warranty | | | |
| | Basic | | |
| | Distance: 36000 miles Months: 36 months | | |
| | Powertrain | | |
| | Distance: 60000 miles Months: 60 months | | |
| | Corrosion Perforation | | |
| | Distance: Unlimited miles Months: 60 months | | |
| | Roadside Assistance | | |
| | Distance: 60000 miles Months: 60 months | | |
| Packages | | | |
| Order Code 610A | | | |
| | Engine: 6.2L 2-valve SOHC EFI NA V8 flex-fuel | | |
| | Transmission: TorqShift 6-Speed Automatic (6R140) Includes | | |
| | SelectShift | | |
| | HD Vinyl 40/20/40 Split Bench Seat includes center armrest, | | |
| | cupholder, storage and driver's side manual lumbar | | |
| | | | |
| Powertrain | Electronic -Locking w/4.30 Axle Ratio | | |
| | GVWR 11,300 lbs Payload Package | | |
| | _ | | |
| Wheels & Tires | | | |
| | Tires: LT275/70Rx18E BSW A/T (4) | | |
| | Wheels: 18" Argent Painted Steel | | |
| | Includes painted hub covers/center ornaments | | |

| | | | Exceptions |
|-----------------------|--|----------|-------------|
| Other Options | | Included | /Variations |
| | 142" wheelbase | | |
| | Monotone Paint Application | | |
| L Value Package | | | |
| | 4.2" Center-Stack Screen | | |
| | Radio: AM/FM Stereo/MP3 Player | | |
| | Includes 4 speakers | | |
| | SYNC Communications & Entertainment | | |
| | Includes enhanced voice recognition with 911 Assist, 4.2 LCD | | |
| | center stack screen, AppLink, 1 smart-charging USB port and | | |
| | steering wheel audio controls | | |
| | Bright Chrome Hub Covers & Center Ornaments | | |
| | Chrome Front Bumper | | |
| | Chrome Rear Bumper | | |
| | Steering Wheel-Mounted Cruise Control | | |
| | | | |
| Power Equipment Group | | | |
| | Deletes passenger-side lock, cylinder. Includes upgraded door trim | | |
| | panel | | |
| | includes: | | |
| | Accessory Delay | | |
| | Trailer tow mirrors w/power heated glass | | |
| | Includes power heated glass, heated convex spotter mirror and | | |
| | integrated clearance lights and tum signal indicators | | |
| | Advanced security pack | | |
| | Includes securilock passive anti-theft system and | | |
| | inclination/intrusion sensors | | |
| | Powerlocks | | |
| | Power tailgate Lock | | |
| | Power front seat windows | | |
| | Includes 1-touch up/down driver/passenger window | | |
| | Remote keyless entry | | |

| Snow Plow Prep | | | Exceptions |
|-------------------|--|----------|-------------|
| Package | | Included | /Variations |
| | Extra Heavy-Duty 200 Amp Alternator | | |
| | Medium duty battery - Dual 78 AH | | |
| | Trailer Brake Controller | | |
| | Verifiedto be compatible with select electric over hydraulic brakes. | | |
| | Includes smart trailer tow connector | | |
| | Platform Running Boards | | |
| | LED Roof Clearance Lights | | |
| | Tough Bed Spray-In bedliner | | |
| | includes tailgate-guard, black box bed tie-down hooks and black | | |
| | bed attachment bolts | | |
| | Uplifter switches (6) | | |
| | Requires extra extra heavy-duty alternator (67E) when ordered | | |
| | with 110V/400W Outlet (43C) and snow plow pkg. (473) or snow | | |
| | plow/camper pkg. (47B) | | |
| | Located in overhead console | | |
| | Includes: | | |
| | Amber LED Warning Strobes (Pre-installed) | | |
| | Includes center high-mounted stop light bar and 2 hood mounted | | |
| | lights | | |
| | Front spalsh guards/mud flaps (Pre-installed) | | |
| | Rear splash guards/mud flaps (Pre-installed) | | |
| | Emissions | | |
| | 50-state Emissions System | | |
| Interior Colors | | | |
| | Medium Earth Gray | | |
| Primary Colors | | | |
| | Race Red | | |
| | | | |
| Plow | | | |
| | | | |
| | All new Fisher Snow Plow 8" HD2 Series Fleet flex 4000 psi Insta | | |
| | Act hydraulics, Intensifier Headlamps, E Force Light System, Cutting | | |
| | Edge, joy Stick Control Wear Shoes Not included | | |
| | Blade# | | |
| | Hyd# FGAWR | | |
| | Eng | | |
| | | | |
| | F52098 18" Rubber Deflectpr 8' Steel Caster St | | |
| Material spreader | Fisher 8" Steel Caster Stainless Steel Material Spreader | | |
| | | | |
| | Whelan Smart LED Amber Strobe Systme 4 Heads Amber. Two (2) | | |
| | LINZ6A Heads Grille Mount, Two (2) Vertex Heads Mounted in rear | | |
| Strobe System | Lamps | | |

| Attachment C | | | |
|-----------------------|--|----------|-------------------------|
| Vehicle #2 | 2019 F-350, SD super Cab 4x4 SD super Cab 8' Box 164" WB SRW | | |
| | XL (X3B) Or equal | | |
| | (-) | | |
| Vehicle Description | The Borough of Naugatuck requests that sealed bids be | | |
| • | submitted for the purchase of One (1) NEW 2019 F-350, SD | | |
| | super Cab 4x4 SD super Cab 8' Box 164" WB SRW XL | | |
| | (X3B) Or equal with minimum specifications listed below. | | |
| | Any additions, deletions, or variations from the following | | |
| | minimum specifications must be noted in the bidder's | | |
| | proposal. | | |
| Minimum Vehicle Spec | ļ - - | | |
| willimum vehicle spec | incations | | |
| | | Included | Exceptions /Variations |
| Dimensions | | meiadea | Exceptions / variations |
| Difficusions | Min ground clearance: 8.2" | | |
| | Willing Found cicaranice. 6.2 | | |
| Suspension/Handling | | | |
| Suspension, numaring | Front Mono-beam non-independent suspension with anti-roll | | |
| | bar, HD shocks | | |
| | Firm ride Suspension | | |
| | Rear rigid axle leaf spring suspension with HD shocks | | |
| | Hydraulic power-assist re- circulating ball steering | | |
| Body Exterior | Tryandane power assist to encalating san steering | | |
| Dody Externol | 4 doors | | |
| | Reverse Opening Rear Passenger Doors | | |
| | Class V trailer hitch with trailer sway control | | |
| | Trailer harness | | |
| | Clearcoat paint | | |
| | 2 front tow hooks | | |
| Convenience | | | |
| | Manual a/c with air filter | | |
| | Manual telescopic steering wheel | | |
| | Passenger visor mirror | | |
| | Manual tilt steering wheel | | |
| | Day-night rearview mirror | | |
| | Front cupholders | | |
| Seats and Trim | | | |
| | Seating capacity of 6 | | |
| | 4-way driver seat adjustment | | |
| | 4-way passenger seat adjustment | | |
| | Front 40-20-40 split-bench seat | | |
| | Manual driver lumbar support | | |
| | Centre front armrest with storage | | |
| | HD vinyl 4/20/40 split bench seat | | |
| | 60-40 folding rear Split-bench Seat | | |

| Lighting, Visibility and | Instrumentation | Included | Exceptions /Variations |
|----------------------------|---|----------|-------------------------|
| inginening) visioniney and | Halogen aero-composite headlights | meradea | Exceptions / variations |
| | Fully automatic headlights | | |
| | Outside tempature display | | |
| | Low tire pressure warning | | |
| | Variable intermittent front windsheild wipers | | |
| | Oil pressure gauge | | |
| Safety and Security | on pressure gauge | | |
| dicty una occurry | 4-wheel ABS brakes | | |
| | 4-wheel disc brakes | | |
| | ABS and driveline traction control | | |
| | Dual seat mounted side imapct airbag supplemental restraint | | |
| | system | | |
| | Brake assist with hill hold control | | |
| | Electronic stability control | | |
| | Dual front impact airbag supplemental restraint system with | | |
| | passenger cancel | | |
| | Safety canopy system curtain 1st row overhead airbag | | |
| | supplemental restraint system | | |
| | Manually adjustable front head restraints | | |
| Dimensions | Wallually adjustable from flead restraints | | |
| Jillielisiolis | General weights | | |
| | Curb 6650 lbs. | | |
| | Payload 3890 lbs. | | |
| | Front weights | | |
| | Front GAWR 4800 lbs. | | |
| | | | |
| | Front axle capacity 6000 lbs. | | |
| | Front tire/wheel capacity 6390 lbs. | | |
| | Rear Weights Rear GAWR 6340 lbs. | | |
| | | | |
| | Rear axle capacity 7280 lbs. | | |
| | Rear tire/wheel capacity 6390 lbs. | | |
| | Fuel Tank Type | | |
| | Capacity 34 gal. Off Road | | |
| | | | |
| | Load floor height 38" | | |
| | Exterior Cargo | | |
| | Length: 98.1" | | |
| | GVWR 11300 lbs | | |
| | Min ground clearance: 8" | | |
| | Minimum width: 50.5" | | |
| | Volume: 78.5 cu.ft. | | |
| | Pickup box depth: 21.1" | | |
| | Tailgate width: 60.5" | | |

| Powertrain | | Included | Exceptions /Variations |
|------------|-------------------------------------|----------|------------------------|
| | Engine Type | | |
| | Block material: iron | | |
| | Head material: Aluminum | | |
| | Injection sequential MPI | | |
| | Orientation: Longitudinal | | |
| | Valves per cylinder: 2 | | |
| | Variable valve control: Yes | | |
| | Engine Spec | | |
| | Bore: 4.02" | | |
| | Displacement: 379 cu.in. | | |
| | Engine Power | | |
| | SAEJ1349 AUG2004 compliant Yes | | |
| | Torque 430 ftlb @3,800 RPM | | |
| | Battery | | |
| | Amp hours: 72 | | |
| | Transmission | | |
| | Elctronic control: Yes | | |
| | Overdrive: Yes | | |
| | Type: Automatic | | |
| | Transmission Extras | | |
| | Driver selectable mode: Yes | | |
| | Oil cooler: Regular duty | | |
| | Drive Type | | |
| | 4wd type part-time | | |
| | Drive Feature | | |
| | Traction control: ABS and driveline | | |
| | Transfer case shift: Electric | | |
| | Drive Axle | | |
| | Cylinders: V-8 | | |
| | Liters: 6.2L | | |
| | Recommended fuel: regular unleaded | | |
| | Output 385 HP @ 5,750 RPM | | |
| | Lock-up: Yes | | |
| | Locking hub control: Auto | | |
| | Exhaust | | |
| | Material : Satinless steel | | |

| Duiveahility | | lo alvida d | Everations Marietians |
|-----------------|---|-------------|------------------------|
| Driveability | Brakes | Included | Exceptions /Variations |
| | ABS: 4-wheel | | |
| | | | |
| | Type: 4-wheel disc | | |
| | Brake Assistance | | |
| | Brake assist: Yes | | |
| | Front Suspension | | |
| | Idependence: Mono-beam non-independent | | |
| | Front spring | | |
| | Type: Coil | | |
| | Front Shocks | | |
| | Type: HD | | |
| | Rear Spring | | |
| | Type: Leaf | | |
| | Rear Shocks | | |
| | Type: HD | | |
| | Floor Trim | | |
| | Coverage: Full Covering: Vinyl/rubber | | |
| | Trim Feature | | |
| | Gear shift knob: Urethane | | |
| | Interior Accents: Chrome | | |
| Warranty | | | |
| | Basic | | |
| | Distance: 36000 miles Months: 36 months | | |
| | Powertrain | | |
| | Distance: 60000 miles Months: 60 months | | |
| | Corrosion Perforation | | |
| | Distance: Unlimited miles Months: 60 months | | |
| | Roadside Assistance | | |
| | Distance: 60000 miles Months: 60 months | | |
| Packages | | | |
| Order Code 610A | | | |
| | Engine: 6.2L 2-valve SOHC EFI NA V8 flex-fuel | | |
| | Transmission: TorqShift 6-Speed Automatic (6R140) Includes | | |
| | SelectShift | | |
| | HD Vinyl 40/20/40 Split Bench Seat includes center armrest, | | |
| | cupholder, storage and driver's side manual lumbar | | |
| Powertrain | Electronic -Locking w/4.30 Axle Ratio | | |
| | GVWR 11,300 lbs Payload Package | | |
| Wheels & Tires | | | |
| | Tires: LT275/70Rx18E BSW A/T (4) | | |
| | Includes: | | |
| | Wheels: 18" Argent Painted Steel | | |
| | Includes painted hub covers/center ornaments | | |

| Other Options | | Included | Exceptions /Variations |
|-----------------------|---|----------|------------------------|
| • | 164" wheelbase | | |
| | Monotone Paint Application | | |
| XL Value Package | | | |
| | 4.2" Center-Stack Screen | | |
| | Radio: AM/FM Stereo/MP3 Player | | |
| | Includes 4 speakers | | |
| | SYNC Communications & Entertainment | | |
| | Includes enhanced voice recognition with 911 Assist, 4.2 LCD | | |
| | center stack screen, AppLink, 1 smart-charging USB port and | | |
| | steering wheel audio controls | | |
| | Bright Chrome Hub Covers & Center Ornaments | | |
| | Chrome Front Bumper | | |
| | Chrome Rear Bumper | | |
| | Steering Wheel-Mounted Cruise Control | | |
| | - | | |
| Power Equipment Group | | | |
| | Deletes passenger-side lock, cylinder. Includes upgraded door | | |
| | trim panel | | |
| | includes: | | |
| | Accessory Delay | | |
| | Trailer tow mirrors w/power heated glass | | |
| | Includes power heated glass, heated convex spotter mirror and integrated clearance lights and tum signal indicators | | |
| | Advanced security pack | | |
| | Includes securilock passive anti-theft system and | | |
| | inclination/intrusion sensors | | |
| | Powerlocks | | |
| | Power tailgate Lock | | |
| | Power front seat windows | | |
| | Includes 1-touch up/down driver/passenger window | | |
| | Remote keyless entry | | |

| Snow Plow Prep | | | |
|-------------------|--|----------|------------------------|
| Package | | Included | Exceptions /Variations |
| | Extra Heavy-Duty 200 Amp Alternator | | , |
| | Medium duty battery - Dual 78 AH | | |
| | Trailer Brake Controller | | |
| | Verifiedto be compatible with select electric over hydraulic | | |
| | brakes. Includes smart trailer tow connector | | |
| | Platform Running Boards | | |
| | LED Roof Clearance Lights | | |
| | Tough Bed Spray-In bedliner | | |
| | includes tailgate-guard, black box bed tie-down hooks and black | | |
| | bed attachment bolts | | |
| | Uplifter switches (6) | | |
| | Requires extra extra heavy-duty alternator (67E) when ordered | | |
| | with 110V/400W Outlet (43C) and snow plow pkg. (473) or snow | | |
| | plow/camper pkg. (47B) | | |
| | Located in overhead console | | |
| | Includes: | | |
| | Amber LED Warning Strobes (Pre-installed) | | |
| | Includes center high-mounted stop light bar and 2 hood | | |
| | mounted lights | | |
| | Front spalsh guards/mud flaps (Pre-installed) | | |
| | Rear splash guards/mud flaps (Pre-installed) | | |
| | Emissions | | |
| | 50-state Emissions System | | |
| Interior Colors | | | |
| | Medium Earth Gray | | |
| Primary Colors | | | |
| | Race Red | | |
| | | | |
| Plow | | | |
| | | | |
| | All new Fisher Snow Plow 8" HD2 Series Fleet flex 4000 psi Insta | | |
| | Act hydraulics, Intensifier Headlamps, E Force Light System, | | |
| | Cutting Edge, joy Stick Control Wear Shoes Not included | | |
| | Blade# | | |
| | Hyd# FGAWR | | |
| | Eng | | |
| | | | |
| | F52098 18" Rubber Deflectpr 8' Steel Caster St | | |
| | 1 SESSO TO MADDEL DELICENTE O SICILI GUSTOL SI | | |
| Material spreader | Fisher 8" Steel Caster Stainless Steel Material Spreader | | |
| | | | |
| | Whelan Smart LED Amber Strobe Systme 4 Heads Amber. Two | | |
| | (2) LINZ6A Heads Grille Mount, Two (2) Vertex Heads Mounted | | |
| Strobe System | in rear Lamps | | |
| | | _1 | 1 |

| Attachement D | | | |
|----------------------|--|----------|--------------|
| Vehicle #3 | 2019 F-650 gas, Regular Cab, Regular Cab Base (F6A) | | |
| | Work/ Tool Truck Or equal | | |
| | Trong room rack or equal | | |
| Vehicle Description | The Borough of Naugatuck requests that sealed bids be | | |
| | submitted for the purchase of One (1) NEW 2019 F-650 gas, | | |
| | Regular Cab, Regular Cab Base (F6A) Or equal with | | |
| | | | |
| | minimum specifications listed below. Any additions, | | |
| | deletions, or variations from the following minimum | | |
| | specifications must be noted in the bidder's proposal. | | |
| Minimum Vahida Sna | sifications | | |
| Minimum Vehicle Spe | Linications | | Exceptions |
| | | Included | /Variations |
| | | incidued | / variations |
| Suspension/Handling | | | |
| | Front non-independent leaf spring suspension | | |
| | Rear rigid axle leaf spring suspension | | |
| | Hydraulic power-assist re-circulating ball steering | | |
| | Rubber Auxiliary rear springs | | |
| Body Exterior | | | |
| | 2 doors | | |
| | Clear coat paint | | |
| | 2 front tow hooks | | |
| | side steps | | |
| | | | |
| Convenience | Manuala/a | | |
| | Manual a/c | | |
| | Manual tilt steering wheel | | |
| | Passenger visor mirror Front cup holders | | |
| | · | | |
| | Automatic gearshift steering column lever Manual door locks | | |
| | Cruise Control with steering wheel controls | | |
| | Cruise Control with steering wheel Controls | | |
| Seats and Trim | | | |
| | Seating capacity of 2 | | |
| | 4-way driver seat direction control | | |
| | 2-way passenger seat direction control | | |
| | Driver seat folding back, passenger seat fixed back | | |
| | Driver and passenger armrests | | |
| | Low back seats | | |
| | | | |

| | | | Exceptions |
|-------------------------|---|----------|-------------|
| Lighting, Visibility an | d Instrumentation | Included | /Variations |
| | Halogen aero-composite headlights | | |
| | Light tinted windows | | |
| | Trip computer | | |
| | Front reading lights | | |
| | Variable intermittent front windshield wipers | | |
| | Oil pressure gauge | | |
| | Tachometer | | |
| | Trip odometer | | |
| Safety and Security | | | |
| | 4-wheel ABS brakes | | |
| | Hydraulic disc brakes | | |
| | | | |
| Dimensions | | | |
| | General weights | | |
| | Curb: 8912 lbs. | | |
| | Rear GAWR: 17500 lbs. | | |
| | GCWR: 37000 lbs. | | |
| | Front GAWR: 8500 lbs. | | |
| | GVWR: 26000 lbs. | | |
| | Front weights | | |
| | Front curb weight: 5501 lbs. | | |
| | Front spring rating: 8500 lbs. | | |
| | Front axle capacity: 8500 lbs | | |
| | Front tire/wheel capacity: 12350 lbs. | | |
| | Rear Weights | | |
| | Rear curb weight: 3411 lbs. | | |
| | Rear spring rating: 19000 lbs. | | |
| | Rear axle capacity: 17500 lbs. | | |
| | Rear tire/wheel capacity: 23360 lbs. | | |
| | Fuel Tank type | | |
| | Capacity: 50.01 | | |
| | | | |

| | | | Exceptions |
|-----------|-------------------------------|----------|-------------|
| owertrain | | Included | /Variations |
| | Engine Type | | |
| | Block material: Iron | | |
| | Head material: Aluminum | | |
| | Injection: Sequential MPI | | |
| | Orientation: Longitudinal | | |
| | Valves per cylinder: 3 | | |
| | Cylinders: V-10 | | |
| | Engine Spec | | |
| | Bore: 3.55" | | |
| | Displacement: 415 cu.in. | | |
| | Engine Power | | |
| | Output 320 HP @ 3,900 RPM | | |
| | Torque 460 ftlb @ 3,000 RPM | | |
| | Battery | | |
| | Cold cranking amps: 900 | | |
| | Transmission | | |
| | Elctronic control: Yes | | |
| | Overdrive: Yes | | |
| | Type: Automatic | | |
| | Lock-up: Yes | | |
| | Speed: 6 | | |
| | Transmission Extras | | |
| | Driver selectable mode: Yes | | |
| | Oil cooler: Regular duty | | |
| | Drive Type: Rear wheel | | |
| | Exhaust | | |
| | Material: Non-Stainless steel | | |
| | System type: Single | | |
| | | | |
| | | | |

| | | | Exceptions |
|------------------|---|----------|-------------|
| Drivability | | Included | /Variations |
| | Brakes | | |
| | ABS: 4-wheel | | |
| | Type: Hydraulic disc | | |
| | Front Suspension | | |
| | Independence: Non-independent | | |
| | Type: Leaf | | |
| | Front spring | | |
| | Type: Tapered leaf | | |
| | Grade: Regular | | |
| | Front Shocks | | |
| | Type: Regular | | |
| | Rear Spring | | |
| | Type: Multi-Leaf Grade: Regular | | |
| | Rear Suspension | | |
| | Independence: Rigid axle | | |
| | Type: Leaf | | |
| | Steering: | | |
| | Activation: Hydraulic power-assist | | |
| | Type: Re-circulating ball | | |
| | | | |
| Warranty | | | |
| | Bumper to Bumper | | |
| | Distance: Unlimited miles Months: 24 months | | |
| | Powertrain | | |
| | Distance: 100,000 miles Months: 60 months | | |
| | Corrosion Perforation | | |
| | Distance: Unlimited miles Months: 36 months | | |
| | Roadside Assistance | | |
| | Distance: Unlimited miles Months: 24 months | | |
| | Frame Rails: Unlimited miles Months: 60 months | | |
| Selected options | | | |
| | | | |
| | Engine: 6.8L 3V SEFI V10 gasoline - 320 HP @ 3900 RPM | | |
| | Torque: 460 ft.lbs. @ 3000 rpm | | |
| | Transmission: Ford torqShift HD 6-Speed Automatic - | | |
| | Double overdrive, less PTO Provision, with park pawl | | |
| Wheels & Tires | | | |
| | Front/Rear Wheels: 22.5" x 8.25" | | |
| | Front-2/Rear-4 tires 11R22.5G Goodyear G182 RSD | | |

| | | | Exceptions |
|---------------------|--|----------|-------------|
| Brakes | | Included | /Variations |
| | Hydraulic Brake System - Bosch HydroMax | | |
| | Full power with automatic adjustment, 4-channel ABS | | |
| | antilock brake system. Includes 12" x 3" (Bosch) DSSA type | | |
| | rear axle mounted parking brake, Orschelin lever control, | | |
| | right of driver. | | |
| | Trailer Connection Socket - 7-Way, Wired for turn signals | | |
| | combined with stop | | |
| Rear Axle and Sus | spension | | |
| near Axie and 3us | 17,500 LB Single-Speed Dana S17-140 | | |
| | Multi-leaf Spring 19000 lb Cap | | |
| | 6.50 Axle Ratio | | |
| Wheelbase | | | |
| | 158" Wheelbase/84" CA/49" AF/246" OAL | | |
| Frame | | | |
| | Single Channel - Straight "C" 10.75 SM, 80,000 psi | | |
| Electrical/ Alterna | ator Battery | | |
| | 240 Amp Alternator | | |
| | Battery - Two 900 CCA including Steal Battery Box | | |
| | 102 DBA Back-up Alarm | | |
| Seats | | | |
| | 30/0/30 Fixed Driver & Fixed Passenger w/Consolette- Viny | | |

| Cab Intonian | | In alvida d | Exceptions |
|---------------------|--|-------------|-------------|
| Cab Interior | | Included | /Variations |
| | Preferred Equipment Package 600A | | |
| | Includes: | | |
| | Wheel Seals, Front -oil lubricated, SKF ScotSeal PlusXL Seals | | |
| | Wheel Sedis, Florit -oil lubricated, SKF ScotSedi FlusAL Sedis | | |
| | Wheel Seals, Rear -oil lubricated, SKF ScotSeal PlusXL Seals | | |
| | Hydraulic Brake System-Bosch HydroMax | | |
| | Full power with automatic adjustment, 4-channel ABS | | |
| | antilock brake system. Includes 12" x 3" (Bosch) DSSA type | | |
| | rear axle mounted parking brake, Orschein lever control, | | |
| | right of driver | | |
| | 5 : 5: 5: 5: 5: 5: 5: 5: 5: 5: 5: 5: 5: | | |
| | Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights | | |
| | Tow hooks, Front (2) - Frame-Mounted, Painted Black | | |
| | Floor covering - Black vinyl | | |
| | Intelligent Oil Life Monitor | | |
| | Steering column - tilt | | |
| | Steering wheel - Black PVC w/integral cruise control | | |
| | switches | | |
| | Body Builder Wiring - At Back of Cab, Combined | | |
| | Includes sealed connectors for 2 ground circuits, with | | |
| | combined left/stop, combined right/stop, stop lamps, park | | |
| | lamps, back up lamps. Also includes 2 additional pass | | |
| | through wires to cab | | |
| | through whes to tub | | |
| Power Equipment | | | |
| Group | | | |
| - | power front side windows, power door lock and door trim | | |
| | panel | | |
| | SecuriLock Passive Anti-Theft System | | |
| | | | |
| | Four Body Builder Switches - Mounted in Center | | |
| | instrument Panel | | |
| | | | |
| Exterior Appearance | • | | |
| | Dual Heated Mirrors | | |
| Interior Colors | | | |
| Interior Colors | Gray | | |

| | | | Exceptions |
|------------------------|---|----------|-------------|
| Primary Colors | | Included | /Variations |
| | Race Red | | |
| Knonhoido KC Soria | os Enclosed Convice Pody | | |
| knapneide KC Serie | es Enclosed Service Body | | |
| | Model# KC132H1478J | | |
| | Body Length 11' | | |
| | Body Width 94" | | |
| | Body Height 90"w/73" Interior Clear Height | | |
| | Galva Grip Step Type Bumper | | |
| | Body Weight 2585lb | | |
| | Side opening doors w/o glass 3 point twist latches in | | |
| | canopy roof | | |
| | C-tech drawer unit rear vertical 3-3", 2-5", 1-7" | | |
| | one pull out shelf curb side horizontal | | |
| | Side mount ladder rack curb side | | |
| | 2 conduit chutes for transporting pipe etc. | | |
| | Master locking system standard | | |
| | Stainless steel/poly rotary latches | | |
| | Aluminum rear grab handles | | |
| | Standard shelving package | | |
| | 2 interior dome lights with switch in cargo area | | |
| | LED compartment lighting | | |
| | LED clearance lights | | |
| | Front grill strobes | | |
| | 97db backup alarm | | |
| | Rubber rear mud flaps | | |
| | Paint color: red (perfect match not guaranteed) | | |
| Aluminum Roll Up | Door In Lieu of Overlap doors in Rear | | |
| • | · | | |
| | 1/2" Thick Steel Tow Plate, 15 ton Pintle W/7 Flat Trailer | | |
| | Connector | | |
| Lift Gate | | | |
| | Tommy Gate Designed for Service Body Application 1,000 | | |
| | LB. Capacity 61" overall Width W/Aluminum Platform Measuring 58"38" | | |
| Invorto- | | | |
| Inverter | Go-power 3000W Modified Wave Power Inverter w/ Tow | | |
| | External Rear of Body | | |

| | | | E l'a |
|----------------|--|----------|-------------|
| | | | Exceptions |
| Air Compressor | | Included | /Variations |
| | Boss Hydraulic Rotary Screw Air Compressor Driven By | | |
| | Direct Mount PTO and Pump Model # 80201-AHBI 185 CFM | | |
| | @110 psi. Unit Measures 26"Wx31"Hx35.25" L. Integrated | | |
| | receiver Tank w/ Filler Port and Drain Valve. Remote | | |
| | Mount Self contained Cooling package with automatic | | |
| | Thermal sensing control to ensure proper operation | | |
| | temperature. 14 gauge polished aluminum canopy with | | |
| | easy access front panel. Real craft hose real w/50' 1/2" air | | |
| | hose. | | |
| | | | |
| Work Lights | 4-LED work Lights two Rear one each side | | |
| | JW Speaker Flood Work Light or equal 7'X5" oval Flood | | |