


Borough of Naugatuck

District Wide School Upgrades

497 Rubber Ave.
Naugatuck, Connecticut 06770

PROJECT LOCATION MAP



LIST OF DRAWINGS

GENERAL

CS - COVER SHEET
A001 - GENERAL INFORMATION

MAPLE HILL SCHOOL:

A201 LOWER LEVEL FLOOR PLANS
A202 MAIN LEVEL FLOOR PLANS

HOP BROOK SCHOOL:

A301 LOWER & FIRST FLOOR PLANS
A302 SECOND FLOOR PLAN

CITY HILL SCHOOL:

A501 CAFETERIA FLOOR PLAN



SILVER / PETRUCCELLI + ASSOCIATES

Architects / Engineers / Interior Designers

3190 Whitney Avenue, Hamden, CT 06518-2340

Tel. 203 230 9007 Fax. 203 230 8247

silverpetrucelli.com

July 28, 2016


ISSUED FOR BID

| ARCHITECTURAL ABBREVIATION LIST | | | | | | SYMBOLS LEGEND | | HATCH PATTERNS | | | |
|---------------------------------|---|------------|---|------------|-----------------------------------|----------------|----------------------------------|----------------|--|--|--|
| ABSEV | ABBREVIATION(S) | DS | DOWNSPOUT | RGWB | IMPACT RESISTANT GYPSUM WALLBOARD | REIN | REINFORCE(D)(N)G | | ELEVATION / BULLET | | CONCRETE MASONRY UNIT |
| ABV | ABOVE | DEC | DOWNSPOUT SCUPPER | JAN | JANITOR | REV | REVISED(D)(ON) | | KEY NOTE TAG | | CONCRETE |
| ACMU | ACOUSTICAL C.M.U. | DWG | DRAWING(S) | EA | EACH | RES | RESILIENT | | WALL / PARTITION TYPE IDENTIFICATION | | BRICK |
| ACP | ACOUSTICAL CEILING PANEL | EF | EXHAUST FAN | JT | JOINT | REQ. REQD | REQUIRED | | DOOR IDENTIFICATION TAG | | METAL |
| ACT | ACOUSTICAL CEILING TILE | EJ, EXP JT | EXPANSION JOINT | LBL | LABEL | RH | RIGHT HAND | | CEILING HEIGHT TAG | | GRATING AND/OR RIGID INSULATION |
| ACP | VINYL LAMINATE ACOUSTICAL CEILING PANEL | ELEC | ELECTRICAL | LAV | LAVATORY | RT | ROOM | | TOILET ACCESSORY IDENTIFICATION TAG | | SONS AND/OR STANDING BEAM MTL. ROOF SYSTEM |
| ACU, A/C | AIR CONDITIONING UNIT | ELEV | ELEVATION(S) | LL | LIVE LOAD | RO | ROUGH OPENING | | COLUMN GRID TAG | | ROUGH WOOD |
| ADD | ADDITIONAL | EQ | EQUAL | LKR | LOCKER(S) | RT | RESILIENT TILE | | DETAIL TAG | | FINISHED WOOD |
| A/E | ARCHITECT/ENGINEER | EQ | EQUIPMENT | LLV | LONG LEG VERTICAL | SAN | SANITARY | | SECTION TAG | | PLYWOOD |
| A/E | ARCHITECT/ENGINEER | EQ | EQUIPMENT | MAINT | MAINTENANCE | SCH | SCHEDULE | | INTERIOR ELEVATION TAG | | BATT INSULATION |
| AFF | ABOVE FINISHED FLOOR | EWC | ELECTRIC WATER COOLER | MANUF, MFR | MANUFACTURER(D) | SD | SOAP DISPENSER | | REVISION TAG / REVISION CLOUD | | GYPSUM BOARD AND/OR GRAVEL SURFACE |
| AHU | AIR HANDLING UNIT | EWCH | ELECTRIC WATER COOLER - HANDICAP/ACCESSIBLE | MAT | MATERIAL(S) | SQ | SQUARE FEET | | OFFICE ROOM NAME / NUMBER IDENTIFICATION TAG | | POROUS FILL AND/OR GRAVEL |
| ALUM | ALUMINUM | EXP | EXPOSED | MAX | MAXIMUM | SFT | SANITARY FORCE MAIN | | | | UNDISTURBED SURROUNDING EARTH |
| APPROX | APPROXIMATELY | EXIST | EXISTING(S) | MCH | MECHANICAL | SHT | SHIRT | | | | COMPACTED FILL |
| ARCH | ARCHITECTURE(L)RAL | EXP | EXPOSED | MEMB | MEMBRANE | SIM | SIMILAR | | | | |
| ARGWB | ABUSE RESISTANT GYPSUM WALLBOARD | FD | FLOOR DRAIN | MET, MTL | METAL | SPEC | SPECIFICATION(S) | | | | |
| ASPH | ASPHALT | FEC | FIRE EXTINGUISHER CABINET | MDO | MEDIUM DENSITY OVERLAY | SQ | SQUARE | | | | |
| AUTO | AUTOMATIC | FFL | FINISH FLOOR LINE | MIN | MINIMUM, MINUTE | SS | STAINLESS STEEL | | | | |
| BD | BOARD | FF | FINISH FLOOR | MIR | MIRROR | STD | STUD | | | | |
| BIT | BITUMINOUS | FH | FIRE HYDRANT | MISC | MISCELLANEOUS | STL | STEEL | | | | |
| BLDG | BUILDING | FN | FINISH(ED) | MO | MASONRY OPENING | STR | STRUCTURE | | | | |
| BLK, BLKS | BLOCK(ING) | FRT | FIXTURE(S) | MTD | MOUNTED | STR | STRUCTURE(L) | | | | |
| BM | BENCH MARK | FLOR | FLOOR | MWP | METAL WALL PANEL | SUSP | SUSPENDED | | | | |
| BO | BOTTOM OF | FURR | FURRING | N/A | NOT APPLICABLE | SYM | SYMMETRY(CAL) | | | | |
| BOT | BOTTOM | FLEX | FLEXIBLE | NC | NOT IN CONTRACT | SYS | SYSTEM | | | | |
| CAB | CABINET | FLR | FLOOR | NO, # | NUMBER | TAG, TEG | TONGUE AND GROOVE | | | | |
| CB | CATCH BASIN | FFE | FINISH FLOOR ELEVATION | NOM | NOMINAL | TB | TOWEL BAR | | | | |
| CAC | COMMON ACCESS CARD | FFE | FURNITURE, FIXTURES & EQUIPMENT | NRC | NOISE REDUCTION COEFFICIENT | TEL | TELEPHONE | | | | |
| CBU | CEMENTITIOUS BACKER UNIT | FG | FACE OF | NTS | NOT TO SCALE | THK | THICKNESS | | | | |
| CR | CIRCLE | FT, FTG | FOOTING(S), FEET | O.C. | ON CENTER | T.O | TOP OF | | | | |
| CER | CERAMIC | FRP | FIBERGLASS REINFORCED PLASTIC | OD | OUTSIDE DIAMETER | TOS | TOP OF STEEL | | | | |
| OP | CAST IN PLACE | GA | GAGE, GAUGE | OH | OVERHEAD | TPD | TOILET PAPER DISPENSER | | | | |
| CHEM | CHEMICAL | GALV | GALVANIZED | OPER | OPERATOR | TS | TUBE STEEL | | | | |
| CJ | CONTROL / CONSTRUCTION JOINT | GL | GLASS, GLAZE(D)(ING) | OPH | OPPOSITE HAND | TYP | TYPICAL | | | | |
| CL | CLOSET | GB | GRAB BAR | OPP | OPPOSITE | UG | UNDERGROUND | | | | |
| CL | CLOSET | GBS | GYPSUM WALL BOARD | OS | OVERFLOW SCUPPER | UL | UNDERWRITERS LABORATORIES | | | | |
| CL | CLOSET | GYP | GYPSUM | OS | OVERFLOW SCUPPER | UNF | UNFINISHED | | | | |
| CLG | CEILING | HDP | HIGH DENSITY POLYETHYLENE | PEB | PRE-ENGINEERED BUILDING | UN | UNLESS OTHERWISE NOTED | | | | |
| CLR | CLEAR | HDW | HARDWARE | PEJ | PRE-FORMED EXPANSION JOINT | VCT | VINYL COMPOSITION TILE | | | | |
| CMU | CONCRETE MASONRY UNIT | HGT, HT | HEIGHT | PL | PLATE | VERT | VERTICAL | | | | |
| COL | COLUMN | HORZ | HORIZONTAL | PLAM | PLASTIC LAMINATE | VEST | VESTIBULE | | | | |
| CONC | CONCRETE | H.P | HIGH POINT | PLYWD | PLYWOOD | V.F | VERIFY IN FIELD | | | | |
| CONT | CONTINUE(OUS) | HR | HOUR | POL | PETROLEUM, OIL & LUBRICATION | V.M.F | VEHICLE MAINTENANCE FACILITY | | | | |
| CORR | CORRIDOR | HVAC | HEATING, VENTILATION & AIR CONDITIONING | PRT | PORCELAIN TILE | V.V.C | VINYL WALL COVERING | | | | |
| CPT | CARPET | D | INSIDE DIAMETER | PRET | PRESSURE TREATED | W/ | WOOD | | | | |
| CT | CERAMIC TILE | INFO | INFORMATION | PREFAB | PREFABRICATED | WD | WAREHOUSE | | | | |
| DEMO | DEMOLISH, DEMOLITION | INFIL | INFILTRATION | PREFN | PREFINISHED | WN | WINDOW | | | | |
| DET, DTL | DETAIL | INSUL | INSULATE(D)(ON) | PTD | PAINT/PAINTE | W/O | WITHOUT | | | | |
| DIA | DIAMETER | INT | INTERIOR | RA | RADIUS | WPT | WORK POINT | | | | |
| DIAG | DIAGONAL | IAW | IN ACCORDANCE WITH | RAD | RADIUS | WRWB | WATER RESISTANT GYPSUM WALLBOARD | | | | |
| DM/DIMS | DIMENSION(S) | INV | INVERT | REF | REFERENCE | WWF | WELDED WIRE FABRIC | | | | |
| DSP | DISPENSER | R | IMPACT RESISTANT | | | | | | | | |
| DN | DOWN | | | | | | | | | | |


GENERAL NOTES

- PERFORM CONSTRUCTION WORK PER DIVISION 1 REQUIREMENTS.
- DO NOT SCALE OR MEASURE ANY DRAWING. REFER TO DIMENSIONS AND NOTES ON DRAWINGS TO LOCATE WALLS AND CONSTRUCTION ITEMS. VERIFY THE FIGURES AND DIMENSIONS SHOWN ON THE DRAWINGS BEFORE STARTING ANY LAYOUT OF THE WORK.
- REPORT ANY ERRORS, INACCURACIES, MISSING DIMENSIONAL REQUIREMENTS, OR CONFLICTS TO THE ARCHITECT IMMEDIATELY AND IN WRITING BEFORE BEGINNING ANY WORK.
- WORK SHALL COMPLY WITH ALL APPLICABLE STATE AND LOCAL CODES, LAWS, AND STATUTES AS REQUIRED. STRICTLY ADHERE TO MANUFACTURERS' PRINTED INSTRUCTIONS.
- REFER TO PLANS AND FLOOR/CEILING ASSEMBLIES FOR PARTITIONS REQUIRED TO HAVE FIRE RESISTANT RATINGS.
- REFER TO FURNITURE/EQUIPMENT PLANS FOR EQUIPMENT, FURNITURE, AND FURNITURE ACCESSORY LOCATIONS. FURNITURE TO BE FURNISHED & INSTALLED BY OWNER UNLESS SPECIFIED OTHERWISE IN THE PROJECT MANUAL & IS NOT A PART OF THIS CONTRACT.
- LOCATION OF STAGING AREAS, VEHICULAR AND PEDESTRIAN ACCESS TO THE SITE, AND GC PARKING SHALL BE FINALIZED DURING THE PRECONSTRUCTION MEETING. BUILDING AND SITE CHECK-IN PROCEDURES FOR CONSTRUCTION PERSONNEL WILL BE ADDRESSED AT THAT TIME.
- PROVIDE ALL NECESSARY BARRIERS AND STRUCTURES REQUIRED TO KEEP THE CONSTRUCTION AREA FREE FROM UNAUTHORIZED VISITORS.
- VERIFY THE LOCATIONS OF ALL EXISTING CONSTRUCTION INCLUDING EXISTING UTILITIES, BUILDINGS, SITE IMPROVEMENTS, TREES, ETC. AT THE JOB SITE. NOTIFY THE ARCHITECT IMMEDIATELY FOR CLARIFICATION IF ANY EXISTING CONDITIONS CONFLICT WITH THE DESIGN INTENT SHOWN ON THESE DRAWINGS.
- DISPOSE OF ALL UNWANTED MATERIALS AND OTHER DEBRIS OFF SITE AS REQUIRED IN A LEGAL MANNER.
- VERIFY IN WRITING, AND RECEIVE WRITTEN AUTHORIZATION FROM THE ARCHITECT PRIOR TO COMMENCEMENT OF ANY CHANGES TO THE WORK.
- DIMENSIONS SHOWN ON ARCHITECTURAL FLOOR PLANS AND ENLARGED PLAN DETAILS ARE TO FACE OF FINISH FACE OF MASONRY, FACE OF CONCRETE, OR TO THE CENTERLINE OF COLUMN UNLESS NOTED OTHERWISE.
- INSTALL ADDITIONAL NONCOMBUSTIBLE, CONCEALED, HORIZONTAL AND/OR VERTICAL BLOCKING AND STRAPPING AS REQUIRED WITHIN STUD AND JOIST SPACES FOR THE SECURE ANCHORAGE OF ALL ITEMS TO BE MOUNTED ON FLOOR WALL, AND CEILING SURFACES. COORDINATE THE REQUIRED BLOCKING WITH THE ACTUAL ITEMS SELECTED. REFER TO ARCHITECTURAL, MILLWORK, FURNITURE/EQUIPMENT, M.E./P.F.P. DRAWINGS FOR ALL ITEMS TO BE WALL/CEILING/FLOOR MOUNTED. ALL WOOD BLOCKING, FRAMING MEMBERS, STUDS, PLYWOOD SHEATHING, ETC. SHALL BE FIRE RETARDANT TREATED PER 2003 IBC/2006 CT, SECTION 603.1.
- COORDINATE THE DIMENSIONS FOR FRAMED OPENINGS FOR ALL BUILT-IN ITEMS, INCLUDING EQUIPMENT AND FIXTURES, CASEWORK, AND ACCESSORIES, ETC. BASED ON THE ACTUAL ITEMS SELECTED BEFORE INSTALLATION.
- SECTIONS, DETAILS, NOTES, DIMENSIONS, AND CONDITIONS ARE APPLICABLE AT OTHER LOCATIONS WHERE CONDITIONS AND DETAILS ARE SIMILAR BUT NOT SPECIFICALLY NOTED AS SUCH OR ARE NOT SHOWN.
- PRESTOPPING MUST CONSIST OF APPROVED NONCOMBUSTIBLE MATERIALS SECURELY FASTENED IN PLACE.
- LOCATIONS FOR REQUIRED PRESTOPPING WILL INCLUDE, BUT NOT BE LIMITED TO, THE FOLLOWING AREAS:
 - IN CONCEALED SPACES OF STUD WALLS AND PARTITIONS, AT THE CEILING AND FLOOR OR ROOF LEVELS.
 - AT CONCEALED SPACES BETWEEN STAIRWAY STRINGERS AT THE TOP AND BOTTOM OF THE RUN.
 - AT OPENINGS AROUND ELEMENTS PENETRATING FIRE RESISTIVE CONSTRUCTION.
- IN THE SPACES BEHIND COMBUSTIBLE TRIM AND FINISH AND ALL OTHER HOLLOW SPACES WHERE PERMITTED IN FIRE RESISTANCE RATED CONSTRUCTION AT TEN FOOT INTERVALS, OR THE SPACE SHALL BE SOLIDLY FILLED WITH NONCOMBUSTIBLE MATERIALS.
- WHERE DIFFERENT FLOOR TYPES MEET AND NO SADDLE IS INDICATED, LOCATE THE TRANSITION DIRECTLY BELOW THE CENTER OF THE DOOR.
- ALL MATERIALS & EQUIPMENT ARE NEW UNLESS OTHERWISE NOTED AS 'EXISTING'.
- ALL EXISTING UTILITIES & EQUIPMENT LOCATIONS ARE APPROXIMATE - CONTRACTOR SHALL FIELD VERIFY EXACT LOCATIONS IN FIELD.
- CONTRACTOR IS RESPONSIBLE FOR REPLACING ANY DAMAGED ITEMS & EQUIPMENT DURING CONSTRUCTION AT NO ADDITIONAL COST TO THE OWNER.
- ALL RATED DOORS & DOORS FRONTING A CORRIDOR SHALL HAVE POSITIVE LATCHING LOCKSETS UNLESS OTHERWISE INDICATED ON DOOR SCHEDULE.
- PROVIDE TACTILE WARNING AT ALL DOORS LEADING TO HAZARDOUS AREAS.
- PROVIDE PANIC EXIT DEVICES AT ALL DOORS WITH AN EXIT CAPACITY OF 100 PERSONS OR MORE.
- PROVIDE ADA ACCESSIBLE DOOR HARDWARE AT ALL ACCESSIBLE MEANS OF EGRESS TO COMPLY WITH UNIFORM FEDERAL ACCESSIBILITY STANDARDS.





**MAPLE HILL
LOWER LEVEL KEY PLAN**
NOT TO SCALE



GENERAL FINISH NOTES

1. CONTRACTOR SHALL FIELD VERIFY ALL CONDITIONS & DIMENSIONS AND NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES.

FINISH SCHEDULE NOTES

1. PATCH/REPAIR, PREP & PAINT ANY EXISTING FINISHED SURFACE DAMAGED DURING CONSTRUCTION ACTIVITIES - MATCH EXISTING FINISHES (V.I.F.)
2. AT AREAS OF CEILING-FED TELE/DATA DROP REMOVAL, REMOVE EXISTING DAMAGED, CUT OR ALTERED CEILING TILE AND/OR SUSPENDED CEILING GRID AND PROVIDE NEW FULL-TILE AND SPICED PORTION OF CEILING GRID TO MATCH EXISTING (V.I.F.) COORDINATE AVAILABILITY OF AVAILABLE EXISTING 2M ACOUSTIC CEILING TILE ATTIC STOCK WITH OWNER.

| EXISTING COND. ABBREVIATIONS: | FINISH SCHEDULE LEGEND: |
|-------------------------------|-------------------------------|
| RHC - FULL HEIGHT CABINETS | ACT - ACoustICAL CEILING TILE |
| CT - COUNTERTOP W/ SINK | PT - PAINTED GYP BOARD |
| CB - BASE CABINET W/ VCT | RB - RUBBER BASE |
| CH - OVERHEAD CONNECTOR | ETR - BRASS TO BRASS |
| VCT - VINYL COMPOSITION TILE | CT - CERAMIC WALL TILE |
| RT - RUBBER TILE | CPT - CERAMIC FLOOR TILE |
| CF - CARPET OVER VCT | CMR - CERAMIC MURAL BASE |
| | VCT - VINYL COMPOSITION TILE |
| | QWB - GYPSUM WALL BOARD |
| | CMU - CONCRETE MASONRY UNIT |

ROOM FINISH SCHEDULE

| ROOM NO. | ROOM NAME | FLOOR | | | | WALL FINISH | | | | CEILING | | NOTES |
|----------|--------------------|----------|------|--------|--------|-------------|--------|--------|--------|---------|--------|---------------------------|
| | | FLR. FN. | BASE | NORTH | SOUTH | EAST | WEST | MAT'L. | FINISH | | | |
| 05 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 06 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 07 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 08 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 09 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 10 | MEDIA CENTER | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 (ALTERNATE #2) |
| 15 | CAFETERIA | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 18 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 19 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 20 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 21 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 22 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 23 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 24 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 25 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 26 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 27 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 28 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 29 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 30 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 31 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 37 | COMPUTER CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 (ALTERNATE #1) |
| 38 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 39 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 40 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |
| 41 | CLASSROOM | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | NOTES 1, 2 |

GENERAL NOTES

- TEMPORARILY REMOVE & REINSTALL EXISTING BUILT-IN COMPONENTS (INCLUDING, BUT NOT LIMITED TO SHELVING, STORAGE CABINETS, LOCKERS, WARDROBES, STORAGE CABINETS, ETC.) AS REQUIRED TO COMPLETELY REMOVE EXISTING FLOORING AND TO PROVIDE SCHEDULED FLOORING. PROTECT ANY REMOVED ITEM/ASSEMBLY AND REPAIR DAMAGE CAUSED DURING CONSTRUCTION. CONTRACTOR TO FIELD VERIFY EXISTING CONDITIONS AT EACH AREA OF WORK, AS CONDITIONS MAY VARY BY ROOM/LOCATION.
- DIMENSIONS & LAYOUTS SHOWN ON THE DRAWINGS ARE APPROXIMATE BASED ON EXISTING AS-BUILT DRAWINGS PROVIDED BY THE OWNER AND MAY NOT REFLECT ACTUAL FIELD CONDITIONS - CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFYING ALL EXISTING CONDITIONS, INCLUDING FIELD-VERIFIED DIMENSIONS, CONFIGURATIONS AND FINISHES. NOTIFY THE ARCHITECT IMMEDIATELY UPON DISCOVERY OF ANY DISCREPANCIES.
- CONTRACTOR IS REQUIRED TO VISIT THE SITE AND BECOME FULLY FAMILIAR WITH THE EXISTING CONDITIONS AND THE SCOPE OF WORK PRIOR TO SUBMITTING A BID.

DEMOLITION NOTES

- REMOVE EXISTING RESILIENT RUBBER FLOORING, WALL BASE & TRANSITION STRIPS AT CLASSROOM, INCLUDING STORAGE ALCOVE, SINK AREA & TOILET ROOM PASSAGE. PREP SUBSTRATE TO RECEIVE SCHEDULED FINISH. AT DOORWAY TO CORRIDOR, CUT AND REMOVE RUBBER FLOORING TO A POINT IN-LINE WITH CLASSROOM FACE OF DOOR. SEE TRANSITION STRIP DETAIL FOR MORE INFO.
- REMOVE EXISTING BROADLOOM CARPETING & ALL ASSOCIATED COMPONENTS.
- REMOVE EXISTING VCT FLOORING & WALL BASE AND PREP EXISTING SUBSTRATE TO RECEIVE SCHEDULED FINISH.
- REMOVE EXISTING FLOOR-MOUNTED CASEWORK ISLAND ASSEMBLY INCLUDING BASE CABINETS, COUNTERTOPS, FULL HEIGHT STORAGE CABINETS AND ALL ASSOCIATED SHELVING, FIXTURES AND FINISHES. PATCH/REPAIR EXISTING SUBSTRATE AS REQD TO PROVIDE SCHEDULED FLOORING.
- REMOVE EXISTING RESILIENT RUBBER FLOORING, WALL BASE & TRANSITION STRIPS AT CAFETERIA. AT DOORWAYS TO CORRIDORS & ADJACENT SPACES, CUT AND REMOVE RUBBER FLOORING TO A POINT IN-LINE WITH CAFETERIA FACE OF DOOR. SEE TRANSITION STRIP DETAIL FOR MORE INFO.
- EXISTING FLOOR MOUNTED RADIATOR TO REMAIN (CONTRACTOR TO VERIFY SIZE, LOCATION AND CONFIGURATION IN FIELD). REMOVE, CLEAN & REINSTALL EXISTING COVERS AS REQD TO PROVIDE SCHEDULED FINISHES.
- EXISTING DOOR ASSEMBLY & THRESHOLD TO REMAIN - REMOVE & REINSTALL EXISTING THRESHOLD AS REQD TO PROVIDE SCHEDULED FINISHES.
- ALTERNATE #2 - REMOVE EXISTING BROADLOOM CARPETING & WALL BASE AT MEDIA CENTER & ADJACENT ROOMS. TEMPORARILY REMOVE & RELOCATE EXISTING SHELVING AS REQD TO PROVIDE SCHEDULED FINISHES.

CASEWORK ISLAND REMOVAL NOTES:


- CASEWORK ISLAND ASSEMBLY CONFIGURATION VARIES - VERIFY ACTUAL CONFIGURATION AT EACH CLASSROOM IN FIELD.
- REFER TO ELECTRICAL NOTES FOR INFORMATION REGARDING REMOVAL, RELOCATION, AND REPLACEMENT OF EXISTING CASEWORK MOUNTED POWER, LIGHTING & TELE/DATA COMPONENTS. VERIFY LOCATION & CONFIGURATION OF EXISTING ELECTRICAL SCOPE ITEMS IN FIELD.

CONSTRUCTION NOTES

- REPAIR & PREP EXISTING CONCRETE SUBSTRATE AT AREAS OF FLOORING REMOVAL AS REQUIRED TO RECEIVE SCHEDULED RESILIENT FLOORING FINISH. PROVIDE SCHEDULED FINISHES - REFER TO FINISH SCHEDULE FOR MORE INFORMATION.
- REPAIR & PREP EXISTING WALL SUBSTRATE AS REQUIRED TO RECEIVE SCHEDULED WALL BASE - REFER TO FINISH SCHEDULE.
- SEE GENERAL NOTE #1

ELECTRICAL NOTES


- (E1) CONTRACTOR SHALL DISCONNECT, REMOVE & RELOCATE THE FOLLOWING LOW VOLTAGE ITEMS (BATTERY POWERED CLOCK, WALL MOUNTED PHONES, (2) NETWORK OUTLETS AND (1) COAX CABLE TV OUTLET). CONTRACTOR SHALL DISCONNECT, REMOVE AND NOT REINSTALL THE FOLLOWING ITEMS (RECESSED SPEAKER & HOUSING, UNDER-CABINET LIGHT FIXTURE AND DUPLEX RECEPTACLES). BRANCH CIRCUIT(S) SERVICE RECEPTACLES AND LIGHT FIXTURE SHALL BE PULLED BACK TO THE NEAREST ACCESSIBLE JUNCTION BOX AND BE MADE SAFE. ALL LOW VOLTAGE CABLING SHALL BE TEMPORARILY COILED ABOVE THE CEILING TO BE RELOCATED WITH DEVICES LISTED ABOVE.
- (E2) CONTRACTOR SHALL INSTALL A NEW SURFACE MOUNTED SPEAKER AND RELOCATED BATTERY CLOCK ON THIS WALL CLOSE TO THE CORNER 7'-0" A.F.F. TO THE CENTER OF EACH DEVICE. EXTEND EXISTING SPEAKER CABLE TO THE NEW SPEAKER. INSTALL NEW SURFACE MOUNTED RACEWAY (WIRE-MOLD) FROM CEILING DOWN TO SPEAKER. CONTRACTOR SHALL INSTALL RELOCATED WALL MOUNTED PHONE AT 4'-0" A.F.F. TO CENTER OF PHONE BELOW CLOCK & SPEAKER. EXTEND EXISTING PHONE CABLE TO NEW PHONE LOCATION. INSTALL NEW SURFACE MOUNTED RACEWAY (WIRE-MOLD) FROM CEILING DOWN TO PHONE.
- (E3) CONTRACTOR SHALL INSTALL (2) RELOCATED NETWORK OUTLETS AND (1) RELOCATED CABLE TV OUTLET SURFACE MOUNTED, AS DIRECTED BY OWNER FOR TEACHER'S DESK. EXTEND EXISTING NETWORK CABLE & COAX CABLE (TV) TO NEW LOCATIONS. INSTALL NEW SURFACE MOUNTED RACEWAY (WIRE-MOLD) FROM CEILING DOWN TO DEVICES.



**LOWER LEVEL
ENLARGED PARTIAL FLOOR PLAN**

SCALE: 1/8"=1'-0"

1
A201




**LOWER LEVEL
ENLARGED PARTIAL FLOOR PLAN**

SCALE: 1/8"=1'-0"

2
A201








- ### GENERAL NOTES
- TEMPORARILY REMOVE & REINSTALL EXISTING BUILT-IN COMPONENTS (INCLUDING, BUT NOT LIMITED TO, SHELVING, STORAGE CABINETS, LOCKERS, WARDROBES, STORAGE CABINETS, ETC.) AS REQUIRED TO COMPLETELY REMOVE EXISTING FLOORING AND TO PROVIDE SCHEDULED FINISHES. PROTECT ANY REMOVED ITEM/ASSEMBLY AND REPAIR DAMAGE CAUSED DURING CONSTRUCTION. CONTRACTOR TO FIELD VERIFY EXISTING CONDITIONS AT EACH AREA OF WORK, AS CONDITIONS MAY VARY BY ROOM/LOCATION.
 - DIMENSIONS & LAYOUTS SHOWN ON THE DRAWINGS ARE APPROXIMATE BASED ON EXISTING AS-BUILT DRAWINGS PROVIDED BY THE OWNER AND MAY NOT REFLECT ACTUAL FIELD CONDITIONS - CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFYING ALL EXISTING CONDITIONS, INCLUDING FIELD-VERIFIED DIMENSIONS, CONFIGURATIONS AND FINISHES. NOTIFY THE ARCHITECT IMMEDIATELY UPON DISCOVERY OF ANY DISCREPANCIES.
 - CONTRACTOR IS REQUIRED TO VISIT THE SITE AND BECOME FULLY FAMILIAR WITH THE EXISTING CONDITIONS AND THE SCOPE OF WORK PRIOR TO SUBMITTING A BID.


- ### DEMOLITION NOTES
- REMOVE EXISTING RESILIENT RUBBER FLOORING, WALL BASE & TRANSITION STRIPS AT CLASSROOM, INCLUDING STORAGE ALCOVE, SINK AREA & TOILET ROOM PASSAGE. PREP SUBSTRATE TO RECEIVE SCHEDULED FINISH. AT DOORWAY TO CORRIDOR, CUT AND REMOVE RUBBER FLOORING TO A POINT IN-LINE WITH CLASSROOM FACE OF DOOR. SEE TRANSITION STRIP DETAIL FOR MORE INFO.
 - REMOVE EXISTING BROADLOOM CARPETING & ALL ASSOCIATED COMPONENTS.
 - REMOVE EXISTING VGT FLOORING & WALL BASE AND PREP EXISTING SUBSTRATE TO RECEIVE SCHEDULED FINISH.
 - REMOVE EXISTING FLOOR-MOUNTED CASEWORK ISLAND ASSEMBLY INCLUDING BASE CABINETS, COUNTERTOPS, FULL HEIGHT STORAGE CABINETS AND ALL ASSOCIATED SHELVING, FIXTURES AND FINISHES. PATCH/REPAIR EXISTING SUBSTRATE AS REQD TO PROVIDE SCHEDULED FINISHES.
 - REMOVE EXISTING RESILIENT RUBBER FLOORING, WALL BASE & TRANSITION STRIPS AT CAFETERIA. AT DOORWAYS TO CORRIDORS & ADJACENT SPACES, CUT AND REMOVE RUBBER FLOORING TO A POINT IN-LINE WITH CAFETERIA FACE OF DOOR. SEE TRANSITION STRIP DETAIL FOR MORE INFO.
 - EXISTING FLOOR MOUNTED RADIATOR TO REMAIN (CONTRACTOR TO VERIFY SIZE, LOCATION AND CONFIGURATION IN FIELD). REMOVE, CLEAN & REINSTALL EXISTING COVERS AS REQD TO PROVIDE SCHEDULED FINISHES.
 - EXISTING DOOR ASSEMBLY & THRESHOLD TO REMAIN - REMOVE & REINSTALL EXISTING THRESHOLD AS REQD TO PROVIDE SCHEDULED FINISHES.
 - ALTERNATE #2: REMOVE EXISTING BROADLOOM CARPETING & WALL BASE AT MEDIA CENTER & ADJACENT ROOMS. TEMPORARILY REMOVE & RELOCATE EXISTING SHELVING AS REQD TO PROVIDE SCHEDULED FINISHES.
- CASEWORK ISLAND REMOVAL NOTES:**
- CASEWORK ISLAND ASSEMBLY CONFIGURATION VARIES - VERIFY ACTUAL CONFIGURATION AT EACH CLASSROOM IN FIELD.
 - REFER TO ELECTRICAL NOTES FOR INFORMATION REGARDING REMOVAL, RELOCATION, AND REPLACEMENT OF EXISTING CASEWORK MOUNTED POWER, LIGHTING & TELE/DATA COMPONENTS. VERIFY LOCATION & CONFIGURATION OF EXISTING ELECTRICAL SCOPE ITEMS IN FIELD.

- ### CONSTRUCTION NOTES
- REPAIR & PREP EXISTING CONCRETE SUBSTRATE AT AREAS OF FLOORING REMOVAL AS REQUIRED TO RECEIVE SCHEDULED RESILIENT FLOORING FINISH. PROVIDE SCHEDULED FINISHES - REFER TO FINISH SCHEDULE FOR MORE INFORMATION.
 - REPAIR & PREP EXISTING WALL SUBSTRATE AS REQUIRED TO RECEIVE SCHEDULED WALL BASE - REFER TO FINISH SCHEDULE.
 - SEE GENERAL NOTE #1





ENLARGED PARTIAL SECOND FLOOR PLAN 1
SCALE: 1/8"=1'-0" A302



ENLARGED PARTIAL SECOND FLOOR PLAN 2
SCALE: 1/8"=1'-0" A302

GENERAL NOTE:
HOP BROOK SCHOOL HAS THE CAPACITY TO PROVIDE SWING SPACE FOR STUDENTS, WHICH WILL HELP FACILITATE THE TURN-OVER OF CLASSROOM(S) TO THE CONTRACTOR TO PROVIDE WORK DURING SCHOOL HOURS. LOCATION, QUANTITY AND DURATION OF CLASSROOM TURN-OVER TO BE DETERMINED AFTER AWARD.

| NO. | ROOM NAME | FLOOR | | | WALL FINISH | | | | CEILING | | NOTES |
|------|----------------------|------------------------|-----------|------|-------------|-------|------|------|---------|--------|------------|
| | | SUBSTRATE (EX. V.I.F.) | FLR. FIN. | BASE | NORTH | SOUTH | EAST | WEST | MAT'L. | FINISH | |
| 019 | CLASSROOM | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 019A | CR STORAGE | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 019B | CR TOILET | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 021 | STORAGE | CONC. | ETR | ETR | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | |
| 022 | CORRIDOR | CONC. | ETR | ETR | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | |
| 025 | CLASSROOM | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 025A | CR STORAGE | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 025B | CR TOILET | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 025C | OFFICE | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 026 | CORRIDOR | CONC. | ETR | ETR | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | |
| 101 | OFFICE | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTES 1, 2 |
| 102 | CLASSROOM | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTES 1, 2 |
| 102A | CR STORAGE | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 102B | CR TOILET | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 103 | CLASSROOM | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTES 1, 2 |
| 103A | CR STORAGE | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 103B | CR TOILET | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 110 | OFFICE | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTES 1, 2 |
| 111 | CORRIDOR | WOOD | ETR | ETR | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | |
| 114 | CLASSROOM | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTES 1, 2 |
| 114A | CR STORAGE | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 114B | CR TOILET | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 115 | CLASSROOM | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTES 1, 2 |
| 115A | CR STORAGE | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 115B | CR TOILET | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 120 | ADMIN | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 121 | CONFERENCE RM. | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 122 | CORRIDOR | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 123 | MAIN OFFICE | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 124 | PRINCIPAL OFFICE | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 124A | TOILET | CONC. | ETR | ETR | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | |
| 125 | COPY ROOM | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 129 | CORRIDOR | CONC. | ETR | ETR | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | |
| 134 | OFFICE | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 135 | LIBRARY/MEDIA CENTER | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 135A | STORAGE | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 144 | CLASSROOM | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 144A | CR STORAGE | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 144B | CR TOILET | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 145 | CORRIDOR | CONC. | ETR | ETR | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | |
| 146 | CLASSROOM | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 146A | CR STORAGE | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 146B | CR TOILET | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 202 | CLASSROOM | WOOD | ETR | ETR | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | |
| 203 | CLASSROOM | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTES 1, 2 |
| 204 | CLASSROOM | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTES 1, 2 |
| 205 | OFFICE | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTES 1, 2 |
| 206 | CORRIDOR | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 207 | CLASSROOM | WOOD | ETR | ETR | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTES 1, 2 |
| 208 | CLASSROOM | WOOD | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTES 1, 2 |
| 214 | CLASSROOM | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 218 | CLASSROOM | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 219 | CLASSROOM | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 220 | CLASSROOM | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 221 | CLASSROOM | CONC. | VCT | RB | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | NOTE 1 |
| 222 | CORRIDOR | CONC. | ETR | ETR | ETR. | ETR. | ETR. | ETR. | ETR. | ETR. | |

GENERAL FINISH NOTES

- CONTRACTOR SHALL FIELD VERIFY ALL CONDITIONS & DIMENSIONS AND NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES.
- FINISHES SCHEDULED FOR PRIMARY ROOMS ALSO APPLY TO SECONDARY ROOMS (IE: CLOSETS/STORAGE AREAS, ETC.) ACCESSED FROM WITHIN THE SCHEDULED ROOM THAT MAY OR MAY NOT BE ASSIGNED A ROOM NAME & NUMBER.

FINISH SCHEDULE NOTES

- PATCH/REPAIR, PREP & PAINT ANY EXISTING FINISHED SURFACE DAMAGED DURING CONSTRUCTION ACTIVITIES - MATCH EXISTING FINISHES (V.I.F.).
- ALTERNATE #3: REFER TO SECTION 012500 AND CONSTRUCTION NOTE #3 ON FLOOR PLAN FOR MORE INFORMATION.

EXISTING COND. ABBREVIATIONS

PNC - FULL HEIGHT PARTITION
 CT - COUNTERTOP W/VC
 BC - BASE CABINET W/VC
 CH - OVERHEAD CONNECTOR
 VCT - VINYL COMPOSITION TILE
 RFT - RAISED FLOOR TILE
 CRT - CARPET OVER VCT

FINISH SCHEDULE LEGEND

ACT - ACETATE GELING TILE
 FT - PAINTED GYP BOARD
 RB - RUBBER BASE
 ETR - EXISTING TO REPAIR
 CT - CERAMIC WALL TILE
 CRT - CERAMIC FLOOR TILE
 CWB - CERAMIC WALL BASE
 VCT - VINYL COMPOSITION TILE
 SWB - SPRINK WALLBOARD
 CHL - CONCRETE WALLBOARD

GENERAL NOTES


- TEMPORARILY REMOVE & REINSTALL EXISTING BUILT-IN COMPONENTS (INCLUDING BUT NOT LIMITED TO SHELVING, STORAGE CUBBIES, LOCKERS, WARDROBES, STORAGE CABINETS, ETC.) AS REQUIRED TO COMPLETELY REMOVE EXISTING FLOORING AND TO PROVIDE SCHEDULED FLOORING. PROTECT ANY REMOVED ITEM/ASSEMBLY AND REPAIR DAMAGE CAUSED DURING CONSTRUCTION. CONTRACTOR TO FIELD VERIFY EXISTING CONDITIONS AT EACH AREA OF WORK, AS CONDITIONS MAY VARY BY ROOM/LOCATION.
- DIMENSIONS & LAYOUTS SHOWN ON THE DRAWINGS ARE APPROXIMATE BASED ON EXISTING AS-BUILT DRAWINGS PROVIDED BY THE OWNER AND MAY NOT REFLECT ACTUAL FIELD CONDITIONS - CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFYING ALL EXISTING CONDITIONS, INCLUDING FIELD-VERIFIED DIMENSIONS, CONFIGURATIONS AND FINISHES. NOTIFY THE ARCHITECT IMMEDIATELY UPON DISCOVERY OF ANY DISCREPANCIES.
- CONTRACTOR IS REQUIRED TO VISIT THE SITE AND BECOME FULLY FAMILIAR WITH THE EXISTING CONDITIONS AND THE SCOPE OF WORK PRIOR TO SUBMITTING A BID.

DEMOLITION NOTES 5

- REMOVE EXISTING RESILIENT TILE FLOORING, CARPET FLOORING, WALL BASE & TRANSITION STRIPS AT CLASSROOM, INCLUDING CLASSROOM STORAGE CLOSETS & TOILET ROOMS. PREP EXISTING WOOD OR CONCRETE (V.I.F.) SUBSTRATE TO RECEIVE SCHEDULED FINISH. AT DOORWAY TO CORRIDOR, CUT AND REMOVE EXISTING FLOORING TO A POINT ALIGNED WITH CENTER OF DOOR (V.I.F.). SEE TRANSITION STRIP DETAIL FOR MORE INFO.
- REMOVE EXISTING CARPET FLOORING & ALL ASSOCIATED COMPONENTS, INCLUDING EXISTING WALL BASE. PREP EXISTING SUBSTRATE (V.I.F.) TO RECEIVE SCHEDULED FINISH. REFER TO DEMO NOTE #1 ABOVE FOR DOORWAY INFO.
- REMOVE EXISTING RESILIENT TILE FLOORING & WALL BASE AND PREP EXISTING SUBSTRATE (V.I.F.) TO RECEIVE SCHEDULED FINISH. REFER TO DEMO NOTE #1 ABOVE FOR DOORWAY INFO.

CONSTRUCTION NOTES 5

- REPAIR & PREP EXISTING WOOD OR CONCRETE SUBSTRATE (V.I.F.) AT AREAS OF FLOORING REMOVAL AS REQUIRED TO RECEIVE SCHEDULED RESILIENT FLOORING FINISH. REPAIR & PREP EXISTING WALL SUBSTRATE AS REQUIRED TO RECEIVE SCHEDULED WALL BASE. PROVIDE SCHEDULED FINISHES - REFER TO FINISH SCHEDULE FOR MORE INFORMATION.
 - ALTERNATE #3: REFINISH WOOD SUBSTRATE
- IN LIEU OF PROVIDING SCHEDULED RESILIENT FLOORING FINISH AT ROOMS WITH EXISTING WOOD SUBSTRATE, REPAIR, PATCH & PREP EXISTING WOOD STRIP FLOOR SUBSTRATE TO MATCH EXISTING SPECIES, GRADE, COLOR & SIZE AND PROVIDE TRANSPARENT FINISH. REFER TO SPECIFICATIONS FOR ADDITIONAL INFORMATION & REQUIREMENTS.



GENERAL FINISH NOTES


- CONTRACTOR SHALL FIELD VERIFY ALL CONDITIONS & DIMENSIONS AND NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES.

FINISH SCHEDULE NOTES

- PATCH/REPAIR, PREP & PAINT ANY EXISTING FINISHED SURFACE DAMAGED DURING CONSTRUCTION ACTIVITIES - MATCH EXISTING FINISHES (V.I.F.).
- PREP, REPAIR & PAINT FULL LOWER PORTION OF EXISTING COLUMNS/PIERS FROM TOP OF FINISHED FLOOR UP TO +/- 3'-6" A.F.F. (V.I.F.) TO MATCH EXISTING WAINSCOT PAINT SCHEME. RE-CUT TRANSITION LINE BETWEEN WAINSCOT COLOR AND EXISTING COLOR ABOVE TO PROVIDE SHARP TRANSITION BETWEEN COLORS. REFER TO CONSTRUCTION NOTE #4 ON FLOOR PLAN FOR LOCATIONS.



| ROOM FINISH SCHEDULE | | | | | | | | | | |
|----------------------|-----------|-----------|------|-------------|--------|--------|--------|---------|--------|------------------------|
| NO. | ROOM NAME | FLOOR | | WALL FINISH | | | | CEILING | | NOTES |
| | | FLR. FIN. | BASE | NORTH | SOUTH | EAST | WEST | MATL. | FINISH | |
| 001 | CAFETERIA | VCT | RB | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | E.T.R. | SEE FINISH NOTES 1 & 2 |

| FINISH SCHEDULE LEGEND | |
|------------------------|---------------------------|
| ACT. | - ACoustICAL CEILING TILE |
| PT. | - PAINTED GYP BOARD |
| RB. | - RUBBER BASE |
| E.T.R. | - EXISTING TO REMAIN |
| CT. | - CERAMIC WALL TILE |
| CFT. | - CERAMIC FLOOR TILE |
| CWB. | - CERAMIC WALL BASE |
| V.C.T. | - VINYL COMPOSITION TILE |
| GWA. | - GYP/WALL HALFCARD |
| CHL. | - CONCRETE MASONRY UNIT |



CAFETERIA FLOOR PLAN
SCALE: 1/4"=1'-0"

1
A501



CITY HILL LOWER LEVEL KEY PLAN
NOT TO SCALE

GENERAL NOTES


- TEMPORARILY REMOVE & REINSTALL EXISTING BUILT-IN COMPONENTS (INCLUDING, BUT NOT LIMITED TO SHELVING, STORAGE CUBBIES, LOCKERS, WARDROBES, STORAGE CABINETS, ETC.) - VERIFY IN FIELD) AS REQUIRED TO COMPLETELY REMOVE EXISTING FLOORING AND TO PROVIDE SCHEDULED FLOORING. PROTECT ANY REMOVED ITEM/ASSEMBLY AND REPAIR DAMAGE CAUSED DURING CONSTRUCTION. CONTRACTOR TO FIELD VERIFY EXISTING CONDITIONS AT EACH AREA OF WORK, AS CONDITIONS MAY VARY BY ROOM/LOCATION.
- DIMENSIONS & LAYOUTS SHOWN ON THE DRAWINGS ARE APPROXIMATE BASED ON EXISTING AS-BUILT DRAWINGS PROVIDED BY THE OWNER AND MAY NOT REFLECT ACTUAL FIELD CONDITIONS - CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFYING ALL EXISTING CONDITIONS, INCLUDING FIELD-VERIFIED DIMENSIONS, CONFIGURATIONS AND FINISHES. NOTIFY THE ARCHITECT IMMEDIATELY UPON DISCOVERY OF ANY DISCREPANCIES.
- CONTRACTOR IS REQUIRED TO VISIT THE SITE AND BECOME FAMILIAR WITH THE EXISTING CONDITIONS AND THE SCOPE OF WORK PRIOR TO SUBMITTING A BID.

DEMOLITION NOTES

- REMOVE EXISTING RESILIENT RAISED RUBBER TILE FLOORING, RUBBER WALL BASE & TRANSITION STRIPS AT CAFETERIA, INCLUDING EXISTING ALCOVES AND RECESSED AREAS. PREP EXISTING CONCRETE FLOOR & CMU WALL (V.I.F.) SUBSTRATES TO RECEIVE SCHEDULED FINISH.
- WHERE EXISTING FLOORING IS CONTINUOUS TO ADJACENT SPACES AT DOORWAYS, CUT AND REMOVE EXISTING FLOORING ON THE CAFETERIA SIDE OF THE DOOR TO A POINT ALIGNED WITH CENTER OF DOOR (V.I.F.).
- EXISTING FLOOR MOUNTED RADIATOR TO REMAIN (CONTRACTOR TO VERIFY SIZE, LOCATION AND CONFIGURATION IN FIELD). REMOVE, CLEAN & REINSTALL EXISTING COVERS AS REQD TO PROVIDE SCHEDULED FINISHES.
- EXISTING DOOR ASSEMBLY & THRESHOLD TO REMAIN - REMOVE & REINSTALL EXISTING THRESHOLD AS REQD TO PROVIDE SCHEDULED FINISHES.

CONSTRUCTION NOTES

- REPAIR & PREP EXISTING CONCRETE SUBSTRATE (V.I.F.) AT AREAS OF FLOORING REMOVAL AS REQUIRED TO RECEIVE SCHEDULED RESILIENT FLOORING FINISH. REPAIR & PREP EXISTING WALL SUBSTRATE AS REQUIRED TO RECEIVE SCHEDULED WALL BASE. PROVIDE SCHEDULED FINISHES - REFER TO FINISH SCHEDULE FOR MORE INFORMATION.
- PROVIDE TRANSITION STRIPS AT DOORWAYS WHERE FLOORING WORK IS NOT LEVEL/ALIGNED WITH EXISTING ADJACENT FLOORING TO REMAIN.
- NEATLY & PRECISELY CUT FLOORING TO MATCH PROFILE OF EXISTING STEEL COLUMN PROFILE (V.I.F.)
- PREP, REPAIR & PAINT FULL LOWER PORTION OF EXISTING COLUMNS/PIERS FROM TOP OF FINISHED FLOORING TO +/- 3'-6" A.F.F. (V.I.F.) TO MATCH EXISTING WAINSCOT PAINT SCHEME



| Revision | Description | Date | Revised By |
|----------|-------------|------|------------|
| | | | |
| | | | |
| | | | |